ALCOHOL CONSUMPTION

Binge Drinking:

- Eighteen percent of Montana adults in 1999 indicated that on one or more occasions in the past month they consumed five or more alcoholic beverages.
- More than twice as many males (25%) as females (10%) reported binge drinking.
- The prevalence of reported binge drinking declined with increasing age class; from 35% of adults aged 18 to 29 to 5% for adults aged 65 and older.
- Ten percent of adults with less than a high school education reported binge drinking within the past month, while 21% of respondents with some college education reported binge drinking.
- There was no apparent difference in reported binge drinking between white non-Hispanic adults and non-white or Hispanic adults in Montana.

Note: Binge drinking is defined as consuming 5 or more alcoholic drinks on one occasion in the past month.

Chronic Drinking:

- The self-reported prevalence of chronic drinking among Montana adults in 1999 was 4%.
- Seven percent of males reported chronic drinking, while less than 1% of females reported chronic drinking.
- Adults aged 18 to 29 (8%) were more likely to report chronic drinking than older adults (<3%).
- There were no discernable differences in the self-reported prevalence of chronic drinking according to education or income levels.
- Slightly more white, non-Hispanic adults (4%) reported chronic drinking than non-white or Hispanic adults (<1%).
- The prevalence of self-reported chronic drinking has remained relatively constant from 1990 to 1999.


Note: Chronic drinking is defined as consuming 60 or more alcoholic drinks in the past month.

Drinking and Driving:

- In the 1999, 3% of adults indicated that they had driven when they "had perhaps too much to drink."
- The self-reported prevalence of drinking and driving was higher among males (5%) than females (2%).
- The self-reported prevalence of drinking and driving was inversely associated with age. Less than 1% of adults aged 65 and older reported drinking and driving.
- Adults with a college degree (5%) were more likely to report drinking and driving than adults with less than a high school education (1%).
- There were no discernable differences in the prevalence of reported drinking and driving among income levels or race classes.
- Since 1990, the prevalence of reported drinking and driving among Montana adults has remained approximately the same.

Table 9. Alcohol Consumption, Montana Adults, 1999 (with 95% confidence intervals).												
	Binge Drinking				Chronic Drinking				Drinking and driving			
	Total No.	No.	%	CI (+/-)	Total No.	No.	%	CI (+/-)	Total No.	No.	%	CI (+/-)
All Adults: 1999	1779	279	17.6	(2.1)	1756	56	3.6	(1.1)	1789	54	3.4	(1.0)
Sex: Male Female	755 1024	190 89	25.2 10.4	(3.5) (2.5)	742 1014	49 7	7.0 0.4	(2.2) (0.3)	761 1028	35 19	5.2 1.8	(1.9) (0.9)
Age: 18 - 29 30 - 44 45 - 64 65+	279 510 606 383	93 98 10 17	34.7 21.2 10.9 4.5	(6.3) (4.2) (2.6) (2.3)	275 508 599 373	19 13 18 6	8.4 2.4 2.4 2.2	(4.1) (1.5) (1.2) (1.9)	280 513 383 386	23 16 12 3	9.2 3.2 1.6 0.7	(4.0) (1.7) (1.0) (0.9)
Education: <high college="" degree<="" high="" school="" some="" td=""><td>173 612 507 485</td><td>15 95 98 71</td><td>10.2 16.8 21.8 17.1</td><td>(5.4) (3.4) (4.4) (4.0)</td><td>167 479 476 488</td><td>3 20 21 12</td><td>3.2 3.5 4.5 2.9</td><td>(3.6) (1.6) (2.4) (2.0)</td><td>175 614 509 489</td><td>1 18 15 20</td><td>0.8 3.3 3.2 4.9</td><td>(1.6) (1.8) (1.8) (2.4)</td></high>	173 612 507 485	15 95 98 71	10.2 16.8 21.8 17.1	(5.4) (3.4) (4.4) (4.0)	167 479 476 488	3 20 21 12	3.2 3.5 4.5 2.9	(3.6) (1.6) (2.4) (2.0)	175 614 509 489	1 18 15 20	0.8 3.3 3.2 4.9	(1.6) (1.8) (1.8) (2.4)
Income: <\$10,000 \$10,000 - \$19,999 \$20,000 - \$34,999 \$35,000 - \$49,999 \$50,000+	87 236 486 273 311	18 35 83 42 58	25.5 17.3 17.7 15.5 20.4	(11.7) (5.6) (4.0) (4.7) (5.2)	87 234 480 272 312	2 9 8 8 12	4.9 3.5 1.6 2.6 3.5	(8.0) (2.4) (1.4) (2.0) (2.3)	87 238 485 274 314	3 5 16 12 9	3.8 2.5 3.2 4.1 3.0	(4.5) (2.4) (1.8) (2.6) (2.3)
Race: White, non-Hispanic Non-white or Hispanic	1653 121	256 22	17.4 18.5	(2.2) (7.7)	1635 116	55 1	3.8 0.4	(1.2) (0.8)	1662 122	51 2	3.3 2.5	(1.0) (1.5)

Figure 8. Alcohol Consumption by Montana Adults, 1990-1999.



Binge Drinking = Consuming 5 or more alcoholic drinks on one occasion in the past month. Chronic Drinking = Consuming 60 or more alcoholic drinks in the past month.